




#### Features:

- Traditional styling
- 2 3/4" faceplate
- Shower at 2.5 gpm @ 80 psi
- Chrome and Brushed Nickel finishes
- Fit on Gerber PLUS™ washerless valves GS-315 series and ceramic valves GH-301, GH-305
- Single function showerhead
- Back to back capability
- Diverter tub spout in thread/slip combination
- 4 3/4" tub spout length
- Fully ADA compliant
- Limited Lifetime Warranty



#### Standards & Certifications:

- ASME A112.18.1M
- ANSI A117.1
- IAPMO/cUPC
- Mass Code

#### Catalog Numbers:

- G9-070** Single handle and flange trim kit, Chrome
- G9-070-BN** Single handle and flange trim kit, Brushed Nickel
- G9-070-RB** Single handle and flange trim kit, Oil Rub Bronze
- G9-072** Shower only trim kit, Chrome
- G9-072-BN** Shower only trim kit, Brushed Nickel
- G9-072-RB** Shower only trim kit, Oil Rub Bronze
- G9-073** Tub/Shower Trim Kit, Chrome
- G9-073-BN** Tub/Shower Trim Kit, Brushed Nickel
- G9-073-RB** Tub/Shower Trim Kit, Oil Rub Bronze

#### Prefixes Available:

None

#### Suffixes Available:

None

Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Gerber Toll Free Technical Support: 888-648-6466  
www.gerberonline.com



# GERBER



## Riverdale®

## Tub/Shower Fitting



### SINGLE HANDLE PRESSURE BALANCE TUB & SHOWER VALVES



Critical Dimensions : Rough-in valve GH-305 (w/stops) & GH-301 (Less stops)





### GERBER PLUS VALVES

Critical Dimensions : Rough-in valve GS-315 (PK) (w/stops) & GS-313-PK (w/stops)



Critical Dimensions : Rough-in valve GS-314-PK (w/stops) & GS-317-PK (w/stops)

